

EURO PALLET

H1-L



Art. no. 352-000000017

Use I Requirement


The H1L from WERIT has been especially developed for the automobile industry and their suppliers. Being a conductive and antistatic plastic pallet, it protects the electrostatically endangered components against being charged. They therefore represent a perfect supplement to conductive plastic containers.

Special features

- Conductive plastic pallet for use in the automobile, chemical and electrical industry: surface resistance $<10^6 \Omega$, according to DIN IEC 61340-5-1
- Dimensionally stable from -30°C to $+60^\circ\text{C}$
- Particularly robust and economical for a high loading

Note:

hot imprinting of fonts, logos and numbers are possible on request depending on the quantity.



External dimensions 1200 x 800 x 160 mm

Weight 18.5 kg

Material HDPE

Colour black

Anti-slip edge 7 mm

Skids 3 not welded

Load capacity (static) 5000 kg

Load capacity (dynamic) 1000 kg

Container loading quantity

20' container 192

40' container 390

40' container High Cube 440

Truck loading quantity

Trailer 612

Jumbo 684

Notice

All dimensions, weights and technical data listed in the catalogue are reference values. They do not represent any binding assurance of certain properties or the suitability for certain uses. Tolerances based on technical specifications according to DIN standards. Amendments and corrections are subject to change.

The details are based on our current technical knowledge and experience. Due to the abundance of possible influences during the use of the product that are outside our control, the user is not released from making their own inspections and tests.

A legally binding assurance of certain properties as well as the suitability for a specific application cannot be derived explicitly or implicitly.

If necessary, property rights must be observed.