




**REUSABLE
TRANSPORT
PACKAGING**



EXPERTISE

WERIT has been a driver of innovations in the field of plastic processing, particularly injection moulding manufacturing since 1949. With their own development, their own tool design and construction and the resulting know-how, WERIT's Reusable Transport Packaging represent quality and functionality.

THE COMPANY



SPECIALIST

Customers have placed their trust in our products for more than 75 years. Our family business is known as a specialist for plastic processing, particularly the production of industrial packaging (IBC, reusable transport packaging, plastic pallets and canisters) and building technology products (heating oil tanks, industrial tanks and sanitary products).

REGIONALLY CONNECTED


We ensure customer satisfaction by means of quality and availability of our products. We stay true to our regional roots. Our locations all over Europe connect us to our customers. We have been and will always remain a family business connecting tried and tested successes of the past with the dynamic of the future.

PROSPECTS

Satisfied and motivated employees are the basis of our everyday work. Our consistent further education and training measures for the professionals and executives as well as our good working environment make us an attractive employer with prospects.

SUSTAINABLE GROWTH

Sustainable economic growth results from our WERIT brand and from our customer retention. For us, the service that we provide takes top priority. To this end, we have more than 600 employees working all over Europe at 6 production and 4 distribution locations.



Eurostandard stacking
crates in the clean room

CONTENT



Eurostandard stacking crates P. 6-13



Stacking crates with curved lips P. 14-15



Stack and nest container P. 16-23



Tubs | Stacking crates P. 24-25




Meat crates P. 26-27



Round containers | Buckets P. 28-29



Large containers P. 30-31



Special colours, customization P. 32-33



Chemical resistance P. 34-35



GENERAL INFORMATION / PLEASE NOTE

All dimensions, weights and technical data specified in the catalogue are guidelines. They do not constitute a binding guarantee of certain properties or the suitability for a certain intended use. Tolerances due to technical reasons comply with DIN standards. Changes and errors reserved.

The information is based on our current technical knowledge and experience. Due to the diversity of external influences in the application of the products which are out of our control, they do not exempt the user from the obligation to carry out own inspections and tests.

Any legally binding guarantee of certain properties or the suitability for a concrete use can be derived neither in an explicit nor in an implicit manner.

There may be property rights that must be observed.

EUROSTANDARD STACKING CRATES



With handle grip

EUROSTANDARD STACKING CRATES

WERIT Eurostandard stacking crates are suitable for use in industry, trade and the food industry. Due to the numerous variants, they are perfectly suited for almost any application.

PROPERTIES

- Suitable for manual handling and automatic conveyance
- Very stable due to reinforced frame and corner design
- Easy to clean thanks to smooth surfaces
- Resistant to acids and alkaline solutions
- Cold and heat-resistant
- With ergonomic handles
- Made of HDPE – virgin material (3248, 3249, 3295 and 3271 made of PP)
- Guaranteed food-safe
- 100% recyclable

EUROSTANDARD STACKING CRATES Closed | handle grip

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 120	368 x 269 x 116	11	1	128	✓		252- 3280 1000
					✓		252- 3280 3000
400 x 300 x 170	368 x 269 x 166	16	1,2	96	✓		252- 3281 1000
					✓		252- 3281 3000
400 x 300 x 220	368 x 269 x 216	21	1,4	72	✓		252- 3282 1000
					✓		252- 3282 3000
					✓		252- 3282 4000
					✓		252- 3282 7000
400 x 300 x 270	368 x 269 x 266	26	1,6	56	✓		252- 3283 1000
					✓		252- 3283 3000
					✓		252- 3283 4000
					✓		252- 3283 7000
400 x 300 x 320	368 x 269 x 316	31	1,9	48	✓		252- 3284 1000
					✓		252- 3284 3000
					✓		252- 3284 4000
					✓		252- 3284 7000
600 x 400 x 50	565 x 365 x 46	9	1,2	160	-		252- 3248 1000
					✓		252- 3248 3000
600 x 400 x 75	565 x 365 x 71	14	1,3	108	✓		252- 3249 1000
					✓		252- 3249 3000
600 x 400 x 120	569 x 369 x 116	23	1,5	72	✓		252- 3250 1N00
					✓		252- 3250 3N00
					✓		252- 3250 4N00
					✓		252- 3250 7N00
600 x 400 x 170	569 x 369 x 166	34	1,8	48	-		252- 3251 1N00
					-		252- 3251 3N00
					-		252- 3251 4N00
					-		252- 3251 7N00
600 x 400 x 220	569 x 369 x 216	44	2,2	36	✓		252- 3252 1N00
					✓		252- 3252 3N00
					-		252- 3252 4N00
					✓		252- 3252 7N00
600 x 400 x 320	569 x 369 x 316	64	2,9	24	✓		252- 3253 1N00
					✓		252- 3253 3N00
					✓		252- 3253 4N00
					✓		252- 3253 7N00



For the ESD version, please refer to pages 12-13.

EUROSTANDARD STACKING CRATES Closed | handle opening

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 320	368 x 269 x 316	31	1,9	48	✓		252- 3284 3VGÖ
600 x 400 x 170	569 x 369 x 166	34	1,8	48	✓		252- 3251 1N01
					✓		252- 3251 3N01
					-		252- 3251 4N01
					-		252- 3251 7N01
600 x 400 x 220	569 x 369 x 216	44	2,2	36	✓		252- 3252 1N01
					✓		252- 3252 3N01
					✓		252- 3252 4N01
					✓		252- 3252 7N01
600 x 400 x 320	569 x 369 x 316	64	2,9	24	✓		252- 3253 1N01
					✓		252- 3253 3N01
					✓		252- 3253 4N01
					✓		252- 3253 7N01
600 x 400 x 420	565 x 365 x 416	83	3,9	20	✓		252- 3254 1000
					✓		252- 3254 3000
					-		252- 3254 4000
					-		252- 3254 7000

EUROSTANDARD STACKING CRATES Slip lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400			0,9	18	✓		252- 3270 1000
					✓		252- 3270 3000
					✓		252- 3270 4000
					✓		252- 3270 7000

EUROSTANDARD STACKING CRATES Flat lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300			0,45	90	✓		252- 3295 1000
					✓		252- 3295 3000
					✓		252- 3295 4000
					✓		252- 3295 7000
600 x 400			0,9	25	✓		252- 3271 1000
					✓		252- 3271 3000
					✓		252- 3271 4000
					✓		252- 3271 7000



PLEASE NOTE

In the catalogue, the outside and inside dimensions are specified for all containers. If you need more details, we would be happy to provide you with a technical data sheet. With conically formed containers, the inside dimension at the bottom differs from that at the top. If necessary, you can test a sample container before ordering.

For more information please visit:

www.werit.eu

EUROSTANDARD STACKING CRATES Hinged lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300			0,45	90	✓		252- 3295 1S00
					✓	Grey	252- 3295 3S00
					✓	Red	252- 3295 4S00
					✓	Blue	252- 3295 7S00
600 x 400			0,9	25	✓		252- 3271 1S00
					✓	Grey	252- 3271 3S00
					✓	Red	252- 3271 4S00
					✓	Blue	252- 3271 7S00

ASSEMBLY ACCESSORIES Removable and hinged lid

Designation	PU	In Stock	Colour	Article no.
Hinged closure for flat lid	100	✓		269- 3990 0000
Slide closure for hinged lid	100	✓		269- 3991 0000
Snap lock for hinged lid	100	✓		269- 3999 0000

LABELLING ACCESSORIES Label holder

Designation	PU	In Stock	Colour	Article no.
Label holder, short	100	✓		269- 3998 K00
Label holder, long	100	✓		269- 3998 L00

TRANSPORT ACCESSORIES Roller truck

External (mm)	Load capacity (kg)	Castors	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400	250	2 steering + 2 frame	2,8	10	✓	Red	264- 3995 4LB0
600 x 400	250	4 steering	2,9	10	✓	Red	264- 3995 4L00
600 x 400	250	4 steering	3,4	10	✓	Blue	264- 3995 7GKL



PLEASE NOTE

Hinged lids are not compatible with containers of article no. 252-**3254**..., 252-**3259**... and 252-**3264**....

For more information please visit:
www.werit.eu



2 steering and 2 frame castors,
4 steering castors



4 steering castors,
frame perforated

EUROSTANDARD STACKING CRATES

Perforated



Solid bottom,
perforated sides

EUROSTANDARD STACKING CRATES, PERFORATED

WERIT Eurostandard stacking crates, perforated, are suitable for use in industry, trade and the food industry. Due to their design, they offer perfect air circulation.

PROPERTIES

- Suitable for manual handling and automatic conveyance
- Easy to clean
- Perfect air circulation
- Resistant to acids and alkaline solutions
- Cold and heat-resistant
- With open grips
- Guaranteed food-safe
- 100% recyclable

EUROSTANDARD STACKING CRATES Perforated bottom and sides | Handle opening

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 126	368 x 269 x 116	11	0,8	128	✓		252- 3285 1000
					✓		252- 3285 3000
400 x 300 x 176	368 x 269 x 166	16	0,9	96	✓		252- 3286 1000
					✓		252- 3286 3000
400 x 300 x 226	368 x 269 x 216	21	1	72	✓		252- 3287 1000
					✓		252- 3287 3000
600 x 400 x 120	565 x 365 x 116	23	1,2	72	-		252- 3255 1000
					✓		252- 3255 3000
600 x 400 x 150	565 x 365 x 146	29	1,3	56	-		252- 3242 1000
					✓		252- 3242 3000
600 x 400 x 170	565 x 365 x 166	33	1,4	48	-		252- 3256 1000
					✓		252- 3256 3000
600 x 400 x 220	565 x 365 x 216	43	1,7	36	-		252- 3257 1000
					✓		252- 3257 3000
600 x 400 x 320	565 x 365 x 316	63	2	24	-		252- 3258 1000
					✓		252- 3258 3000
600 x 400 x 350	565 x 365 x 346	69	2,1	24	-		252- 3243 1000
					✓		252- 3243 3000
600 x 400 x 426	565 x 365 x 416	83	2,4	20	-		252- 3259 1000
					✓		252- 3259 3000

EUROSTANDARD STACKING CRATES Solid bottom | Perforated sides | Handle opening

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 120	368 x 269 x 116	11	0,9	128	-		252- 3290 1000
					✓		252- 3290 3000
400 x 300 x 170	368 x 269 x 166	16	1	96	-		252- 3291 1000
					✓		252- 3291 3000
400 x 300 x 220	368 x 269 x 216	21	1,1	72	-		252- 3292 1000
					✓		252- 3292 3000
600 x 400 x 120	565 x 365 x 116	23	1,2	72	-		252- 3260 1000
					✓		252- 3260 3000
600 x 400 x 150	565 x 365 x 146	29	1,3	56	-		252- 3244 1000
					✓		252- 3244 3000
600 x 400 x 170	565 x 365 x 166	33	1,4	48	-		252- 3261 1000
					✓		252- 3261 3000
600 x 400 x 220	565 x 365 x 216	43	1,7	36	-		252- 3262 1000
					✓		252- 3262 3000
600 x 400 x 320	565 x 365 x 316	63	2	24	-		252- 3263 1000
					✓		252- 3263 3000
600 x 400 x 350	565 x 365 x 346	69	2,1	24	-		252- 3245 1000
					✓		252- 3245 3000
600 x 400 x 420	565 x 365 x 416	83	2,4	20	-		252- 3264 1000
					✓		252- 3264 3000

EUROSTANDARD STACKING CRATES

ESD



EUROSTANDARD STACKING CRATES ESD

WERIT Eurostandard stacking crates ESD, made of electrically conductive plastic, have been developed especially for the safe transport and storage of electronic components. The design and material prevent a possible electrostatic discharge. The perfect design of the plastic containers protects the content from damage, contamination and humidity.

PROPERTIES

- Suitable for manual handling and automatic conveyance
- Very stable due to reinforced frame and corner design
- Impact resistant, unbreakable and dimensionally stable
- Resistant to acids and alkaline solutions
- Made of electrically conductive plastic (PP-EL)
- Surface resistance: $10^4 - 10^6$
- 100% recyclable

EUROSTANDARD STACKING CRATES ESD | Handle grip

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 120		11		128	-		252- 3280 ESD0
400 x 300 x 170		16		96	-		252- 3281 ESD0
400 x 300 x 220		21		72	-		252- 3282 ESD0
400 x 300 x 270		26		56	-		252- 3283 ESD0
400 x 300 x 320		31		48	-		252- 3284 ESD0
600 x 400 x 50		9		160	-		252- 3248 ESD0
600 x 400 x 75		14		108	-		252- 3249 ESD0
600 x 400 x 120		23		72	-		252- 3250 ESD0
600 x 400 x 170		34		56	-		252- 3251 ESD0
600 x 400 x 220		44		36	-		252- 3252 ESD0
600 x 400 x 320		64		24	-		252- 3253 ESD0

EUROSTANDARD STACKING CRATES ESD | Slip lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400					-		252- 3270 ESD0

EUROSTANDARD STACKING CRATES ESD | Flat lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300					-		252- 3295 ESD0
600 x 400				25	-		252- 3271 ESD0

EUROSTANDARD STACKING CRATES ESD | Hinged lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300					-		252- 3295 SESD
600 x 400				25	-		252- 3271 SESD



OUR TIP: CONDUCTIVE PLASTIC PALLETS

The WERIT H1-L plastic pallet has been developed especially for the automotive industry and its suppliers. As a conductive, antistatic plastic pallet, it protects the electrostatically sensitive components from being subjected to an electrostatic charging. It is thus the perfect match to conductive plastic containers.

For more information please visit:
www.werit.eu



STACKING CRATES

Curved lips



Stacking crates with curved lips,
with 13 l volume



Stacking crates with curved lips,
with 80 l volume

STACKING CRATES CURVED LIPS

Perfectionists in the food industry and anywhere where hygiene and fast cleaning are of key importance!

PROPERTIES

- Easy to clean thanks to smooth surfaces and rounded container geometry
- Resistant to acids and alkaline solutions
- Cold- and heat-resistant
- Made of HDPE
- Guaranteed food-safe
- 100% recyclable

STACKING CRATES Curved lips

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 165	342 x 244 x 162	13	1	112	✓		256- 3155 1000
					✓		256- 3155 3000
400 x 300 x 215	342 x 244 x 212	18	1,2	72	✓		256- 3156 1000
					✓		256- 3156 3000
600 x 400 x 165	540 x 345 x 162	30	1,5	48	✓		256- 3157 1000
					✓		256- 3157 3000
600 x 400 x 215	540 x 345 x 213	40	1,8	36	✓		256- 3158 1000
					✓		256- 3158 3000
600 x 400 x 320	540 x 345 x 318	60	2,4	24	✓		256- 3159 1000
					✓		256- 3159 3000
800 x 600 x 220	740 x 540 x 215	80	3,5	18	✓		256- 3163 1000
					✓		256- 3163 3000
800 x 600 x 320	740 x 540 x 315	120	4,3	12	✓		256- 3160 1000
					✓		256- 3160 3000

STACKING CRATES Curved lips | Slip lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300			0,5	32	✓		256- 3111 1000
					✓		256- 3111 3000
600 x 400			0,95	15	✓		256- 3162 1000
					✓		256- 3162 3000



OUR TIP: INDIVIDUAL CONTAINER LABELLING

By means of individual printing, your WERIT stacking containers with curved lips can be perfectly adapted to your company's corporate identity.

For more information please visit:

www.werit.eu

STACK AND NEST CONTAINERS

DSB-N



Perforated bottom and sides



Solid bottom,
perforated sides

STACK AND NEST CONTAINERS DSB-N

The WERIT DSB-N stackable containers are perfect for light industrial use. The containers can be stacked with or without a lid and are very stable thanks to their robust design. With a 180° rotation, the DSB-N containers can be stacked when full and nested when empty. They save 65% volume in storage or during transport.

PROPERTIES

- Suitable for manual handling and automatic conveyance
- Impact resistant, unbreakable and dimensionally stable
- Easy to clean thanks to smooth surfaces
- Resistant to acids and alkaline solutions
- Cold and heat-resistant
- With ergonomic handles
- 65% volume reduction
- Made of HDPE
- Guaranteed food-safe
- 100% recyclable

STACK AND NEST CONTAINERS DSB-N | Closed

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 170	328 x 270 x 158	14	0,8	280	✓		253- 4301 3000
400 x 300 x 220	328 x 270 x 208	18	1	200	✓		253- 4302 3000
400 x 300 x 270	328 x 270 x 258	23	1,2	160	✓		253- 4303 3000
600 x 400 x 150	482 x 365 x 147	25	1,5	152	✓		253- 3401 1N00
					✓		253- 3401 3N00
					✓		253- 3401 7N00
600 x 400 x 200	482 x 365 x 196	32	1,8	140	✓		253- 3402 1N00
					✓		253- 3402 3N00
					✓		253- 3402 7N00
600 x 400 x 250	482 x 365 x 248	40	2,2	100	✓		253- 3403 1N00
					✓		253- 3403 3N00
					✓		253- 3403 7N00
600 x 400 x 300	482 x 365 x 297	50	2,4	80	✓		253- 3404 1N00
					✓		253- 3404 3N00
					✓		253- 3404 7N00
600 x 400 x 350	482 x 365 x 348	60	2,7	60	✓		253- 3405 1N00
					✓		253- 3405 3N00
					✓		253- 3405 7N00

STACK AND NEST CONTAINERS DSB-N | Perforated bottom and sides

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 170	328 x 270 x 158	14	0,7	280	-		253- 4306 3000
400 x 300 x 220	328 x 270 x 208	18	0,9	200	-		253- 4307 3000
400 x 300 x 270	328 x 270 x 258	23	1,1	160	-		253- 4308 3000
600 x 400 x 150	482 x 365 x 147	25	1,3	152	✓		253- 3406 1N00
					✓		253- 3406 3N00
600 x 400 x 200	482 x 365 x 196	32	1,5	140	✓		253- 3407 1N00
					✓		253- 3407 3N00
600 x 400 x 250	482 x 365 x 248	40	1,9	100	✓		253- 3408 1N00
					✓		253- 3408 3N00
600 x 400 x 300	482 x 365 x 297	50	2,1	80	✓		253- 3409 1N00
					✓		253- 3409 3N00
600 x 400 x 350	482 x 365 x 348	60	2,3	60	✓		253- 3410 1N00
					✓		253- 3410 3N00



PLEASE NOTE

The grid size at the bottom is 10 x 10 mm and at the sides 10 x 15 mm

For more information please visit:

www.werit.eu

STACK AND NEST CONTAINERS DSB-N | Solid bottom | perforated sides

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300 x 170	328 x 270 x 158	14	0,8	280	-		253- 4311 3000
400 x 300 x 220	328 x 270 x 208	18	1	200	-		253- 4312 3000
400 x 300 x 270	328 x 270 x 258	23	1,2	160	-		253- 4313 3000
600 x 400 x 150	482 x 365 x 147	25	1,4	152	-		253- 3411 1N00
					-		253- 3411 3N00
600 x 400 x 200	482 x 365 x 196	32	1,6	140	-		253- 3412 1N00
					✓		253- 3412 3N00
600 x 400 x 250	482 x 365 x 248	40	2	100	-		253- 3413 1N00
					✓		253- 3413 3N00
600 x 400 x 300	482 x 365 x 297	50	2,2	80	-		253- 3414 1N00
					✓		253- 3414 3N00
600 x 400 x 350	482 x 365 x 348	60	2,4	60	-		253- 3415 1N00
					✓		253- 3415 3N00

STACK AND NEST CONTAINERS Slip lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
400 x 300			0,45	25	✓		253- 4320 3000
600 x 400			0,9	25	✓		253- 3420 1000
					✓		253- 3420 3000
					✓		253- 3420 7000

STACK AND NEST CONTAINERS Crocodile lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400			0,9	25	✓		253- 3731 3000

ASSEMBLY ACCESSORIES Crocodile lid

Designation	PU	In Stock	Colour	Article no.
Seal	100	✓		269- 3992 0000

TRANSPORT ACCESSORIES Roller truck

External (mm)	Load capacity (kg)	Castors	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400	250	2 steering + 2 frame	2,8	10	✓		264- 3995 4LB0
600 x 400	250	4 steering	2,9	10	✓		264- 3995 4L00

ASSEMBLY ACCESSORIES Roller truck | Centring bracket

PU	In Stock	Colour	Article no.
1 set (4 units each)	✓		269- 3988 0000



65%

**VOLUME
REDUCTION**

STACK AND NEST CONTAINERS

TwistBox



Perforated bottom and sides



Solid bottom,
perforated sides

STACK AND NEST CONTAINERS TWISTBOX

The WERIT TwistBox stacking containers are perfect for demanding industrial applications. The containers can be stacked with or without lids and are very stable thanks to their robust design.

A 180° rotation allows the TwistBox containers to be stacked when full and nested when empty. They save 65% volume in storage or during transport.

PROPERTIES

- Suitable for manual handling and automatic conveyance
- Impact resistant, unbreakable and dimensionally stable
- Easy to clean thanks to smooth surfaces
- Resistant to acids and alkaline solutions
- Cold and heat-resistant
- With ergonomic handles
- 65% volume reduction
- Made of HDPE
- Guaranteed food-safe
- 100% recyclable

STACK AND NEST CONTAINERS TwistBox | Closed

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400 x 150	512 x 365 x 147	28	1,6	124	✓		253- 3701 3000
600 x 400 x 200	512 x 365 x 197	36	1,9	120	✓		253- 3702 3000
600 x 400 x 250	512 x 365 x 247	46	2,3	92	✓		253- 3703 3000
600 x 400 x 300	512 x 365 x 297	56	2,6	76	✓		253- 3704 3000
600 x 400 x 350	512 x 365 x 347	66	3	64	✓		253- 3705 3000
600 x 400 x 400	512 x 365 x 397	76	3,3	56	✓		253- 3706 3000

STACK AND NEST CONTAINERS TwistBox | Perforated bottom and sides

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400 x 150	512 x 365 x 147	28	1,3	124	-		253- 3711 3000
600 x 400 x 200	512 x 365 x 197	36	1,6	120	-		253- 3712 3000
600 x 400 x 250	512 x 365 x 247	46	1,9	92	-		253- 3713 3000
600 x 400 x 300	512 x 365 x 297	56	2,2	76	-		253- 3714 3000
600 x 400 x 350	512 x 365 x 347	66	2,5	64	-		253- 3715 3000
600 x 400 x 400	512 x 365 x 397	76	2,8	56	-		253- 3716 3000

STACK AND NEST CONTAINERS TwistBox | Solid bottom | Perforated sides

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400 x 150	512 x 365 x 147	28	1,4	124	-		253- 3721 3000
600 x 400 x 200	512 x 365 x 197	36	1,7	120	-		253- 3722 3000
600 x 400 x 250	512 x 365 x 247	46	2,0	92	-		253- 3723 3000
600 x 400 x 300	512 x 365 x 297	56	2,3	76	-		253- 3724 3000
600 x 400 x 350	512 x 365 x 347	66	2,6	64	-		253- 3725 3000
600 x 400 x 400	512 x 365 x 397	76	2,9	56	-		253- 3726 3000

STACK AND NEST CONTAINERS Slip lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400			0,9	25	✓		253- 3730 3000

STACK AND NEST CONTAINERS Crocodile lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400			0,9	25	✓		253- 3731 3000

ASSEMBLY ACCESSORIES Crocodile lid

Designation	PU	In Stock	Colour	Article no.
Seal	100	✓		269- 3992 0000



PLEASE NOTE

The grid size at the bottom is 10 x 10 mm and at the sides 10 x 15 mm

For more information please visit:

www.werit.eu

STACK AND NEST CONTAINERS

Curved lips



STACK AND NEST CONTAINERS CURVED LIPS

WERIT stack and nest containers with curved lips are especially suitable for use in the foodstuff industry and can be stacked with or without lids in a filled state and thanks to their robust design, are very stable. When empty, they can simply be nested inside one-another. The large corner radii and the smooth base allow a particularly easy cleaning and the surrounding curved lip offers the highest comfort when carrying.

PROPERTIES

- Suitable for manual handling and automatic conveyance
- Impact resistant, unbreakable and dimensionally stable
- Easy to clean thanks to smooth surfaces
- Resistant to acids and alkaline solutions
- Cold and heat-resistant
- 65% volume reduction
- Made of HDPE
- Guaranteed food-safe
- 100% recyclable

STACK AND NEST CONTAINERS Curved lips

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400 x 220	480 x 349 x 213	30	1,8	120	✓		253- 3172 1000
					✓		253- 3172 3000
600 x 400 x 325	480 x 349 x 319	50	2,1	80	✓		253- 3173 1000
					✓		253- 3173 3000
800 x 600 x 220	638 x 540 x 217	80	4,1	40	✓		253- 3171 1000
800 x 600 x 330	638 x 540 x 322	110	5,5	30	✓		253- 3174 1000
800 x 600 x 505	628 x 540 x 496	170	8	20	✓		253- 3175 1000

STACK AND NEST CONTAINERS Curved lips | with feet

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
800 x 600 x 600	628 x 540 x 496	170	8,8	16	✓		253- 3176 1000

STACK AND NEST CONTAINERS Curved lips | Slip lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400			1,1	25	✓		253- 3170 1000
					✓		253- 3170 3000
800 x 600			2,7	10	✓		253- 3177 1000

TRANSPORT ACCESSORIES Roller truck

External (mm)	Load capacity (kg)	Castors	Weight (kg)	PU	In Stock	Colour	Article no.
800 x 600	250	4 steering	4,1	10	✓		264- 3993 000*
800 x 600	250	4 steering	4,1	10	✓		264- 3994 000

* especially adjusted to the bottom dimensions of the 800 x 600 mm containers.



With feet, slip lid



Roller truck 800 x 600 mm,
4 steering castors

TUBS AND STACKING CRATES



Stacking crate with 8 l volume



Tub with 55 l volume

TUBS AND STACKING CRATES

For individual applications, WERIT offers special container solutions with different dimensions, container heights and container bottoms. These containers are for example used as mixing trough, tubs, sweets containers or special containers in the automotive industry.

PROPERTIES

- Easy to clean thanks to smooth surfaces and special container geometry
- Suitable for automatic washing systems
- Made of HDPE
- Guaranteed food-safe
- 100% recyclable

TUBS AND STACKING CRATES Tubs

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
355 x 255 x 40	350 x 250 x 38	3	0,3	50	✓		255- 3102 8000
440 x 320 x 155	395 x 275 x 150	12	0,8	200	✓		255- 3105 1000
610 x 440 x 150	550 x 375 x 145	25	1,3	200	✓		255- 3113 1000
710 x 490 x 185	635 x 420 x 175	40	1,7	200	✓		255- 3131 1000
535 x 475 x 380	450 x 395 x 360	55	3,3	40	✓		255- 3151 1000
					✓		255- 3151 3000

TUBS AND STACKING CRATES Tubs | Slip lid

External (mm)	Version	Weight (kg)	PU	In Stock	Colour	Article no.
535 x 475	for 55 l	1,1	11	✓		256- 3152 1000
				✓		256- 3152 3000

TUBS AND STACKING CRATES Stacking crates

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
450 x 255 x 105	400 x 210 x 100	8	0,6	150	✓		256- 3104 1000
					✓		256- 3104 3000
450 x 295 x 70	400 x 245 x 65	7	0,7	200	✓		256- 3106 1000
450 x 295 x 125	400 x 245 x 120	10	0,8	100	✓		256- 3103 1000
					✓		256- 3103 3000
465 x 360 x 82	420 x 315 x 80	10	0,8	150	✓		256- 3107 1000
525 x 455 x 110	470 x 400 x 105	18	1,4	80	✓		256- 3109 1000
					✓		256- 3109 3000
525 x 455 x 165	470 x 400 x 160	30	1,8	48	✓		256- 3120 1000
					✓		256- 3120 3000
525 x 455 x 220	470 x 400 x 215	40	2,1	40	✓		256- 3130 1000
					✓		256- 3130 3000
580 x 360 x 100	525 x 310 x 95	15	1,3	80	✓		256- 3118 1000
					✓		256- 3118 3000
580 x 360 x 215	525 x 310 x 210	35	2	40	✓		256- 3116 1000
					✓		256- 3116 3000
580 x 470 x 120	530 x 430 x 115	26	1,7	60	✓		256- 3114 1000
730 x 480 x 90	685 x 430 x 80	20	2,1	50	-		257- 3115 1000

TUBS AND STACKING CRATES Stacking crates | Slip lid

External (mm)	Version	Weight (kg)	PU	In Stock	Colour	Article no.
525 x 455	for 18 l, 30 l and 40 l	0,9	16	✓		256- 3110 1000
				✓		256- 3110 3000
580 x 360	for 15 l and 35 l	1	17	✓		256- 3117 1000
				✓		256- 3117 3000

MEAT CRATES



MEAT CRATES

WERIT meat crates are standardized transport containers of the meat- and sausage-producing industry and trade and comply with DIN 55423.

PROPERTIES

- Suitable for manual handling and automatic conveyance
- Impact resistant, unbreakable and dimensionally stable
- Easy to clean thanks to smooth surfaces
- Suitable for automatic washing systems
- Lateral opening for the ventilation of the goods
- Made of HDPE (3271) or PP
- Guaranteed food-safe
- 100% recyclable

MEAT CRATES

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400 x 125	565 x 365 x 120	25	1,5	60	✓	Red	261- 3450 4000
					-	Blue	261- 3450 7000
600 x 400 x 200	565 x 365 x 195	40	2	40	✓	White	261- 3451 1000
					✓	Grey	261- 3451 3000
					✓	Red	261- 3451 4000
					✓	Yellow	261- 3451 5000
					✓	Green	261- 3451 6000
					✓	Blue	261- 3451 7000
					✓	Red	261- 3452 4000
600 x 400 x 300	565 x 365 x 295	60	3	28	✓	Red	261- 3452 4000
					✓	Blue	261- 3452 7000

MEAT CRATES Flat lid

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400			1,1	25	✓	Red	252- 3271 4100

TRANSPORT ACCESSORIES Roller truck

External (mm)	Load capacity (kg)	Castors	Weight (kg)	PU	In Stock	Colour	Article no.
600 x 400	250	2 steering + 2 frame	2,8	10	✓	Red	264- 3995 4LB0
600 x 400	250	4 steering	2,9	10	✓	Red	264- 3995 4L00



OUR TIP: EURO H1 HYGIENE PALLET

Combine WERIT meat crates with the EURO H1 hygiene pallet by WERIT. The EURO H1 hygiene pallet is the plastic pallet of the European food industry.

WERIT has been an approved manufacturer of this plastic pallet for more than 20 years.

For more information please visit:
www.werit.eu



ROUND CONTAINERS | BARRELS



Round container 65 l



Barrel 50 l with lid

ROUND CONTAINERS | BARRELS

Made and designed for the high requirements in the food industry, these product groups stand out thanks to their durable and robust quality.

PROPERTIES

- Easy to clean thanks to smooth surfaces and special container geometry
- Can be stacked into one another, with lid on top of each other (except 258-31541000 and 258-31661000)
- Stable handles
- Made of HDPE
- Guaranteed food-safe
- 100% recyclable

ROUND CONTAINERS | BARRELS Round containers

Height (mm)	Diameter (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
335	590	65	2,4	58	✓		258- 3154 1000
385	628	85	3,2	54	✓		258- 3166 1000

ROUND CONTAINERS | BARRELS Barrels

Height (mm)	Diameter (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
445	420	40	1,7	80	✓		260- 3181 1000
540	420	50	2	75	✓		260- 3182 1000
530	515	75	3,7	36	✓		260- 3169 1000
733	515	110	5,5	24	✓		260- 3167 1000

ROUND CONTAINERS | BARRELS Barrels | Hooded and snap-on lid

Diameter (mm)	Version	Weight (kg)	PU	In Stock	Colour	Article no.
428	Lid for 40 and 50 l	0,3		✓		260- 3183 1000
525	Snap-on lid for 75 and 110 l	0,9		✓		260- 3168 1S00
534	Lid for 75 and 110 l	0,9		✓		260- 3168 1000

TRANSPORT ACCESSORIES Chassis

Diameter (mm)	Weight (kg)	PU	In Stock	Colour	Article no.
340 - 435 x 70	3,6		✓		346-000000020



WE ARE PLEASED TO SUPPORT YOU

Do you have any questions about our products?
Our Customer Service will be pleased to help you:
rtp.uk@werit.eu



Chassis for barrels
40 - 110 litres, adjustable

LARGE CONTAINERS



LARGER CONTAINERS

Large containers by WERIT are the right choice for heavy bulk goods for example in the meat industry or as storage container for food or for storing and transporting spices, additives or other goods.

PROPERTIES

- Easy to clean thanks to smooth surfaces and rounded container geometry
- Can be stacked within one another (210 l and 360 l)
- Lift truck can move underneath 140 l, 210 l and 360 l with feet and rollers
- Made of HDPE
- Guaranteed food-safe
- 100% recyclable

LARGE CONTAINERS

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
800 x 600 x 405	720 x 515 x 400	140	10,4	10	✓		259- 3190 1000

LARGE CONTAINERS Ribbed bottom

External (mm)	Version	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
800 x 600 x 415	720 x 515 x 400	140	11,4	10	✓		259- 3190 1V00

LARGE CONTAINERS 2 steering and 2 frame rollers

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
800 x 600 x 550	720 x 515 x 400	140	15,0	10	✓		259- 3192 1000

LARGE CONTAINERS 4 steering rollers

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
800 x 600 x 550	720 x 515 x 400	140	15,0	10	✓		259- 3192 1001

LARGE CONTAINERS Feet

External (mm)	Internal (mm)	Volume (l)	Weight (kg)	PU	In Stock	Colour	Article no.
800 x 600 x 510	720 x 515 x 400	140	12	10	✓		259- 3194 1000
790 x 605 x 685	725 x 540 x 575	210	8,9	22	✓		259- 3188 1000
945 x 725 x 830	875 x 655 x 705	360	17,4	6	✓		259- 3189 1000

LARGE CONTAINERS Slip lid

External (mm)	Version	Weight (kg)	PU	In Stock	Colour	Article no.
800 x 600	for 140 l container	3	10	✓		259- 3195 1000
804 x 625 x 40	for 210 l container	3	10	✓		259- 3188 1D00
952 x 745 x 47	for 360 l container	5	10	✓		259- 3189 1D00

TRANSPORT ACCESSORIES Roller truck

Version	PU	In Stock	Colour	Article no.
for 210 l container, galvanized		✓		259- 3188 FG00
for 360 l container, galvanized		✓		259- 3189 FG00



Large container 140 l with slip lid

Large container 140 l With feet and slip lid











Large container 210 l with slip lid

Carriage for 360 l container

SPECIAL COLOURS

WERIT plastic containers are available in many standard colours.
Upon request, we will also realise individual colour requests.

The available colours of our stock goods are specified in the relevant article information. The listed colours serve for your orientation and are not binding!




CUSTOMIZATION

In our special processing centre, WERIT returnable transport packaging can be modified flexibly to meet the customer's request. Immediately after the production process, the products are delivered into the special processing centre for the following work steps:



Hot stamping | Customer logo




Hot stamping | Standard letters, alpha-numerical



Machine stamping



Barcode



Label holder, long



Label holder, short



Snap lock



Seal

Chemical resistance

Chemical	Concentration	HDPE	PP
Acetaldehyde		3/3	3/4
Acetaldehyde	saturated	1/1	1/1
Acetamide	saturated	1/1	1/1
Acetic acid	50 %	1/1	1/1
Acetone		1/1	1/3
Acetonitrile		1/1	3/4
Acetophenone		0/0	1/3
Acetylene	100 %	1/0	1/0
Acrylonitrile		1/1	3/4
Adipic acid	saturated	1/1	1/1
Allyl alcohol	96 %	1/3	2/2
Aluminium chloride	10 %	1/1	1/1
Aluminium oxide	solid	1/1	1/1
Amino acids		1/1	1/1
Ammonia	25 %	1/1	1/1
Ammonium chloride	liquid	1/1	1/1
Ammonium hydroxide	5 %	1/1	1/1
Ammonium oxalate		1/1	1/2
Ammonium phosphate	each	1/1	1/1
Ammonium sulphide	each	1/1	1/1
Amyl acetate (pentyl acetate)		1/2	3/4
Amyl alcohol		1/1	1/1
Aniline		1/2	2/3
Antifreeze (car)		1/1	1/1
Aqua regia		4/4	4/4
Barium chloride	saturated	1/1	1/1
Benzaldehyde		1/3	1/4
Benzene		3/4	3/4
Benzoic acid	saturated	1/1	1/3
Benzyl alcohol		3/4	4/4
Boric acid	10 %	1/1	1/1
Brake fluid		1/0	1/1
Bromine		4/4	4/4
Bromobenzene		3/4	4/4
Butadiene		3/4	4/4
Butanol	technically pure	1/1	1/2
Butyl acetate		1/2	3/4
Butyric acid		3/4	4/4
Calcium chloride	liquid	1/1	1/1
Calcium hydroxide	conc.	1/1	1/1
Calcium hypochloride	saturated	1/1	1/1
Calcium sulphate	saturated	1/1	1/1
Carbazole		1/1	1/1
Carbon dioxide		1/1	1/1
Carbon disulfide		4/4	4/4
Carbon tetrachloride		3/4	4/4
Caustic soda	30 %	1/1	1/1

Chemical	Concentration	HDPE	PP
Cellosolve acetate		1/1	1/2
Chlorinated water		3/0	3/4
Chlorine	10 % wet	3/4	4/4
Chlorobenzene		3/4	3/4
Chloroform		3/4	2/3
Chromic acid	10 %	1/1	1/1
Citric acid	10 %	1/1	1/1
Cresol		3/4	2/3
Cyclohexane		3/4	3/4
Decahydronaphtalene (decalin)		1/2	2/4
Dibutyl phtalate		1/3	2/2
Dichlorobenzene		3/3	3/4
Dichloromethane		4/4	3/4
Diethylbenzene		3/4	4/4
Diethylether		3/4	4/4
Dimethylformamide		1/1	1/1
Dioxin 1.4		2/2	3/3
Ethanol	50 %	1/1	1/1
Ether		3/4	4/4
Ethyl acetate		1/3	1/3
Ethyl acrylate	100 %	4/4	4/4
Ethyl alcohol	96 %	1/1	1/1
Ethylbenzene		2/3	3/4
Ethylchloride		3/3	3/4
Ethyl cyanacetate		1/1	1/1
Ethylene glycol		1/1	1/1
Ethylene oxide		2/3	3/3
Ethyl ether	technically pure	3/0	4/4
Fluoride		1/1	1/1
Fluorine		4/4	4/4
Formaldehyde	40 %	1/2	1/2
Formic acid	98-100 %	1/1	1/3
Glacial acetic acid		0/0	1/3
Glucose	each	1/1	1/1
Glycerine	each	1/1	1/1
Heating oil		3/3	1/1
Heptane, n-		2/3	2/4
Hexane		2/3	2/3
Hydrazine hydrate	liquid	1/1	1/1
Hydrobromic acid	50 %	1/1	1/2
Hydrochloric acid	20 %	1/1	1/1
Hydrocyanic acid	liquid	1/1	1/1

Chemical	Concentration	HDPE	PP
Hydrofluoric acid	50 %	1/1	1/1
Iodine (I)-tincture		1/3	1/2
Isopropanol (isopropyl alcohol)	technically pure	1/1	1/1
Isopropyl acetate		1/2	2/3
Kerosine		2/2	3/3
Lactic acid	85 %	1/1	1/2
Lanolin	technically pure	1/3	1/3
Lead acetate	liquid	1/1	1/1
Lubricants		1/3	3/0
Machine oil	100 %	0/0	1/3
Menthol	100 %	1/3	1/3
Mercury	pure	1/1	1/1
Mercury chloride		1/1	1/1
Metal salts	dissolved	1/1	1/1
Methanol (methyl alcohol)		1/1	1/1
Methyl acetate	100 %	1/0	1/3
Methyl ethyl oleate		1/1	1/2
Methyl ethyl ketone		1/3	1/3
Mineral oil		1/1	1/3
Monochloroacetic acid		1/1	1/2
Nitrobenzene		3/4	2/4
Nitric acid	50 %	2/4	3/4
Octane, -n		1/1	1/1
Oil and fat, vegetable		1/3	1/3
Oxalic acid		1/1	1/1
Perchloric acid		2/4	2/4
Perchloroethylene		4/4	4/4
Petrol		2/3	
3/4			
Petroleum	technically pure	1/3	1/3
Phenol	100 %	2/3	1/2
Phenylhydrazine	technically pure	3/0	3/4
Phosphoric acid	85 %	1/1	1/2
Photographic developer		1/3	1/2
Photographic fixer		1/0	1/1
Plasticizer		1/3	1/3
Potassium hydroxide	50 %	1/1	1/1
Potassium perchlorate		1/3	1/1
Propane	gaseous	3/4	2/4

Chemical	Concentration	HDPE	PP
Propylene glycol		1/1	1/1
Propylene oxide		1/1	1/2
Pyridine		1/3	3/3
Resorcinol	saturated	1/1	1/1
Salicylic acid	saturated	1/1	1/1
Salicylic aldehyde		1/1	1/2
Sodium acetate	each	1/1	1/1
Sodium carbonate		1/1	1/1
Sodium chloride	each	1/1	1/1
Sodium dichromate		0/0	1/1
Sodium hydroxide	50 %	1/1	1/1
Sodium hypochloride	15 %	1/1	1/1
Sodium hypochloride	50 %	3/3	3/3
Sulphur dioxide	damp	1/1	1/3
Sulphuric acid	95 %	3/4	3/4
Silver acetate		1/1	1/1
Silver nitrate		1/1	1/2
Stearic acid	crystalline	1/3	1/3
Sulphides		2/3	(2)
Tetrahydrofuran		3/4	3/4
Thionyl chloride	technically pure	4/4	4/4
Trichloroethylene	100 %	3/4	4/4
Turpentine oil		2/2	4/4
Urea (carbamide & others)		1/1	1/1
Vinyl	technically pure	0/0	(3)

2 values are assigned to each medium, left number = value at +20°C, right number at +50°C temperature.

1 = very resistant / suitable, 2 = reasonably resistant / suitable, 3 = limited resistance, 4 = unsuitable, 0 = no value recorded.

These details represent suggestions and offer no guarantees. Legal claims may not arise due to the information provided.

HDPE high density polyethylene, **PP** polypropylene



Sales locations for reusable transport packaging:

D-57610 Altenkirchen, Kölner Straße, Phone +49 2681 807-01, rtp.de@werit.eu

A-2514 Traiskirchen, Wienersdorferstr. 20-24 N53, Phone +43 2252 25 13 31, rtp.at@werit.eu

CH-8105 Regensdorf/Zürich, Wehntalerstrasse 113, Phone +41 44 843 50 50, rtp.ch@werit.eu

F-67162 Wissembourg, 7, Rue de l'Industrie, Phone +33 3 88 54 10 20, rtp.fr@werit.eu

E-08403 Granollers/Barcelona, Avda. San Julia 125/127, Phone +34 938 402256, rtp.es@werit.eu

GB-Manchester, Darby Road, Irlam, M44 5BP, Phone +44 161 776-1414, rtp.uk@werit.eu

PL-55-330 Błonie gm. Miękina, ul. Zachodnia 2, Phone +48 71 3362595, rtp.pl@werit.eu

CZ-619 00 Brno, Videňská 494/103, Phone +42 770 694 004, rtp.cz@werit.eu

WERIT Branches:

D-57610 Altenkirchen | D-53567 Buchholz | D-01458 Ottendorf-Okrilla | A-2514 Traiskirchen |

CH-8105 Regensdorf/Zürich | F-67162 Wissembourg | F-26200 Montélimar |

E-08403 Granollers/Barcelona | GB-Manchester | PL-55-330 Błonie gm. Miękina | CZ-619 00 Brno

www.werit.eu

